Programming for the Real-World (Embedded Systems)

SDP Workshop

Nashville, TN

Dec 13, 14 2001

Participants

- Robert Laddaga (leader)
- Paul Robertson
- Scott Smolka
- Mitch Kokar
- David Stewart
- Brian Williams
- Insup Lee
- Kang Shin
- John Reekie
- Rajeev Alur
- With help from:
  - Dave Sharp
  - Calton Pu

Questions

- What can’t we do
- What are the promising technologies
- How can we enhance and extend current technologies
- How can we do technology transfer
- How can we spend $.5B/year
- Specific sellable ideas
- How to build for change
- How to exploit legacy SW
- What are our Basic Assumptions – challenges and threats

Outline

- Notable Progress
- What we can’t do
- What we can’t do (tech speak)
- Promising Technology

Notable Progress

- Use of tools
- Use of real-time operating systems
- Memory/Computation constrained
- Fault tolerant protocols
- Scheduling single processors
- Testing and validation

What we can’t do

- high level sensing
- infer decision crucial info from multiple disparate sources
- Competent transfer of control (human or automated)
- automate our mechatronic miracles
  (e.g.. UCAV, FCS, Space-Vehicles)
- make embedded systems invisible—ultra stable.
- certify embedded systems for less than ${gag}.
- trust our embedded software-
  especially safety critical and novel systems.
- adapt to changing requirements/environment.

Unsolved Problems

- Uncertainty and model selection
- Hardware/Software co-design
- Testing & Validation
- Meeting non-functional constraints in integrated systems.
- Use of models in integration
- Sensing Environment and Adaptive (resource allocation, dynamic and adaptive)
- Can’t automate what we know how to do

More Unsolved Problems

- Distributed dynamic resource allocation.
- Fault management.
- Handle harsh environments cost effectively.
- Encoding and measuring functional redundancy.

Promising Technologies

- Model based software development
- Non-functional reasoning of embedded SW development
- Model Selection and Estimation
- Temporal Decision Theoretic Embedded Languages
- Self adaptive software
- Synthesis
- Model-based Programming of Embedded Software

Promising Technologies - Format

- What it is
- Research Agenda
- How it helps

Model-based software development

- Begin with informal requirements
- Capture requirements in a model serving as a specification of the system
- Lots of different modeling paradigms (ptolemy, simulink, charon)
- Model refinement and requirements tracing
- Code Generation
- Model based testing and validation

MBSD – Research Agenda

- Closing consistency gap between model and code – preservation of structural features of design in code.
- Translating informal requirements into formal requirements
- Tracing requirements into implementation
- How can we include disparately modeled submodels
- Enriched formalisms supporting non functional aspects
- More efficient testing
- Capture of distributed embedded systems
- Models including uncertainty
- Self adaptive models

MBSD – how it helps

- Certification for lower dollars
  - Streamlining testing
  - Early bug discovery
  - Validation techniques
- Trust of embedded software
  - Improved certification, reliability, understandability
- Invisible – ultra stable

Model Selection & Estimation

- Techniques for simultaneous estimation of model parameters and comparing alternate models

MSE – Research Agenda

- Algorithms, optimization and approximation techniques to allow tractable computation along with realistic dependency assumptions
- Estimation over large distributed spaces
- Integration of multiple model representations – models include constraints, logic, bayes nets, HMM, ODE
- How to seamlessly fold methods for MSE into embedded languages

MSE – how it helps

- Info fusion
  - Integrates vastly distributed information sources
- Detection of incipient states
  - Helps to detect masked states

Temporal Decision theoretic Embedded Languages

- Tracking large numbers of execution trajectories
- Planning using expected values
- Dynamic technique involving On-line :
  - Tracking
  - Projection
  - Execution
  - replanning

TDTEL – Research Agenda

- How to decide which unlikely trajectories to track
- How to project forward consequences of traced trajectories to ensure safety
- On-line model checking
- How to fold TDT Planning and execution into embedded languages
- How do we do TDT Planning at reactive timescale
- How do we concurrently do planning and execution on line.

TDTEL – How it helps

- Automation and adaptation
  - Dynamic planning
  - recovery

Non-functional reasoning of embedded software development

- Bottom up approach to produce reliable components and building blocks – including functional and non-functional description and assurance
- HW/SW Codesign – software redesign and reconfiguration
- Reliable device drivers – reliable interfaces to unreliable hardware
- Component specification – resource allocation under scarcity
- Aspect oriented software development – performance monitoring
- Non functional constraints – imprecise computation, uncertainty, fault tolerance issues
- Low bit rate networking protocols
- Trade-off analysis
- Configurable hardware
- Application level

Self-adaptive Software

- What it is:
  - Monitor detect and repair in response to faults and changes by modifying/resynthesizing program.
  - Feedback/Control-system-like
- Examples:
  - Networks of cooperating air vehicles.
  - Reconfiguration of hardware within vehicles and submarines.
  - Adaptation of control laws for flight surfaces.
  - Adaptation of numerical codes for optimization or simulation.
  - Adaptation of assumptions to track changing conditions during high level sensing (vision, speech).

SAS – Research Agenda

- Investigate ways of ensuring stability.
- Investigate ways of ensuring that the high level goals of the system are met – the set point.
- Investigate how to represent models and monitor models for different classes of systems.
- Investigate ways of performing program synthesis.
- Investigate how to achieve acceptable performance (good enough soon enough, QoS metrics)
- Architectures and design of Self-adaptive software.
- Design languages that incorporate ideas of sensing and adaptation.

Self-Adaptive Software

- What problems it addresses:
  - High level sensing
  - Adaptation
  - Automation
- Why it solves the problems:
  - Divides a complex space into smaller tractale ones.
  - Control systems are inherent engineering artifacts. Embedded systems control physical systems and are inherently control system-like.

Synthesis

- What it is:
  - Automatic code generation from specifications, models, design rules.

Synthesis - Research Agenda

- Dealing with uncertainty and hidden states.
- Automatic generation of monitor code from models.
- Model Fitting.
- How to bring focused synthesis online.
- Integration of offline compilation with online reasoning.
- Dealing with optimality and feasibility.
- Dealing with functional redundancies and contingencies.
- Dealing with dynamically changing components.
- Resource allocation/constraints.

Synthesis

- What problems it addresses:
  - Supports self-adaptive software model-based programming
  - Adaptation
  - Assured low-level components.
- Why it solves problems:
  - Allows software to be generated dynamically (at runtime).
  - Provides for automatic verification.
  - Improves confidence vs. Human coding.

Model-based Programming of Embedded Software

- What it is:
  Embedded languages that:
  - Encode strategic guidance and incorporate models of the environment
  - Use these descriptions to automatically interpret and coordinate environmental interactions.

MPES: Research Agenda

- Seamless extension of embedded languages to:
  - Incorporate rich models of the embedded environment.
  - Shift the role of a program from an imperative to an advisory role
- Fast on-line reasoning for managing interactions, including: State estimation, environment reconfiguration, planning, scheduling, discrete event control and continuous control.
- Automated partitioning of coordination between run-time and compile-time tasks.
- Frameworks for incorporating and reasoning from a rich set of modeling formalisms.

MPES: How it helps

- Simplifies programming for autonomy by
  - Offering a simpler model of interaction between the programmer and the environment
  - By delegating reasoning about interactions to the language's interpreter/compiler.
- Improves robustness for autonomy by
  - Systematically consider a wider set of possible interactions and responses.
  - Responding to novel events on-line.
  - Employing provably correct algorithms.
- Supports adjustable levels of autonomy by
  - Allowing the programmer to delegate the desired level of control authority within the control program.